

```

EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEEEEEEEEEEEEE DDD DDD
EEEEEEEEEEEEEE DDD DDD
EEEEEEEEEEEEEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDD
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDD
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDD

```

[illegible]

```
CCCCCCCC HH HH MM MM SSSSSSSS EEEEEEEEE NN NN DDDDDDDD EEEEEEEEE LL
CCCCCCCC HH HH MM MM SSSSSSSS EEEEEEEEE NN NN DDDDDDDD EEEEEEEEE LL
CC CC HH HH MMM MMM SS SS EEEEEEEEE NN NN DD DD EE LL
CC CC HH HH MMM MMM SS SS EEEEEEEEE NN NN DD DD EE LL
CC CC HH HH MM MM SS SS SSSSSS EEEEEEEEE NN NN DD DD EE LL
CC CC HH HH MM MM SSSSSS SSSSSS EEEEEEEEE NN NN DD DD EE LL
CC CC HH HH MM MM SS SS SSSSSS EEEEEEEEE NN NN DD DD EE LL
CC CC HH HH MM MM SS SS SSSSSS EEEEEEEEE NN NN DD DD EE LL
CC CC HH HH MM MM SSSSSS SSSSSS EEEEEEEEE NN NN DD DD EE LL
CCCCCCCC HH HH MM MM SSSSSSSS EEEEEEEEE NN NN DDDDDDDD EEEEEEEEE LL
CCCCCCCC HH HH MM MM SSSSSSSS EEEEEEEEE NN NN DDDDDDDD EEEEEEEEE LL
.....
```

```
LL LL I I I I I SSSSSSSS
LL LL I I I I I SSSSSSSS
LL LL I I I I I SS
LL LL I I I I I SS
LL LL I I I I I SS
LL LL I I I I I SSSSSS
LL LL I I I I I SSSSSS
LL LL I I I I I SS
LL LL I I I I I SS
LL LL I I I I I SS
LL LL I I I I I SSSSSSSS
LLLLLLLLLL I I I I I SSSSSSSS
LLLLLLLLLL I I I I I SSSSSSSS
```

.....

```
0001 0 %TITLE 'EDT$CHMSENDEL - find a sentence delimiter'
0002 0 MODULE EDT$CHMSENDEL ( ! Find a sentence delimiter
0003 0 IDENT = 'V04-000' ! File: CHMSENDEL.BLI Edit: JBS1003
0004 0 ) =
0005 1 BEGIN
0006 1
0007 1 *****
0008 1 *
0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0011 1 * ALL RIGHTS RESERVED.
0012 1 *
0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0018 1 * TRANSFERRED.
0019 1 *
0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0022 1 * CORPORATION.
0023 1 *
0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0026 1 *
0027 1 *****
0028 1
0029 1
0030 1
0031 1 ++
0032 1 FACILITY: EDT -- The DEC Standard Editor
0033 1
0034 1 ABSTRACT:
0035 1
0036 1 This module looks for a sentence delimiter.
0037 1
0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant
0039 1
0040 1 AUTHOR: Bob Kushlis, CREATION DATE: Unknown
0041 1
0042 1 MODIFIED BY:
0043 1
0044 1 1-001 - Original. DJS 04-Feb-1981. This module was created by
0045 1 extracting the routine EDT$SFND_SENDELIM from CHANGE.BLI.
0046 1 1-002 - Regularize headers. JBS 03-Mar-1981
0047 1 1-003 - Improve the appearance of the listing. JBS 14-Jun-1983
0048 1 --
0049 1
```

```
.. 51      0050 1 %SBTTL 'Declarations'
.. 52      0051 1
.. 53      0052 1  TABLE OF CONTENTS:
.. 54      0053 1
.. 55      0054 1
.. 56      0055 1 REQUIRE 'EDT$SRC:TRAROUNAM';
.. 57      0494 1
.. 58      0495 1 FORWARD ROUTINE
.. 59      0496 1   EDT$FND_SENDELIM;
.. 60      0497 1
.. 61      0498 1
.. 62      0499 1  INCLUDE FILES:
.. 63      0500 1
.. 64      0501 1
.. 65      0502 1 REQUIRE 'EDT$SRC:EDTREQ';
.. 66      0637 1
.. 67      0638 1
.. 68      0639 1  MACROS:
.. 69      0640 1
.. 70      0641 1      NONE
.. 71      0642 1
.. 72      0643 1  EQUATED SYMBOLS:
.. 73      0644 1
.. 74      0645 1      NONE
.. 75      0646 1
.. 76      0647 1  OWN STORAGE:
.. 77      0648 1
.. 78      0649 1      NONE
.. 79      0650 1
.. 80      0651 1  EXTERNAL REFERENCES:
.. 81      0652 1
.. 82      0653 1      In the routine
```

! Look for a sentence delimiter

```

84 0654 1 XSBTTL 'EDT$$FND_SENDLIM - find a sentence delimiter'
85 0655 1
86 0656 1 GLOBAL ROUTINE EDT$$FND_SENDLIM (          ! Find a sentence delimiter
87 0657 1     INC                                ! Include the delimiter in the found string
88 0658 1     ) =
89 0659 1
90 0660 1
91 0661 1 ++
92 0662 1 FUNCTIONAL DESCRIPTION:
93 0663 1     Look for a sentence delimiter.  If one is found, move to the right
94 0664 1     over it.  A sentence delimiter must be a character in the set of
95 0665 1     delimiters followed by a space or a <CR>.
96 0666 1
97 0667 1 FORMAL PARAMETERS:
98 0668 1
99 0669 1     INC                                indicates whether or not the delimiter should
100 0670 1                                     be included.
101 0671 1
102 0672 1 IMPLICIT INPUTS:
103 0673 1
104 0674 1     EDT$$A_US_ENT
105 0675 1     EDT$$A_LN_END
106 0676 1     EDT$$A_LN_PTR
107 0677 1
108 0678 1 IMPLICIT OUTPUTS:
109 0679 1
110 0680 1     NONE
111 0681 1
112 0682 1 ROUTINE VALUE:
113 0683 1
114 0684 1     A value of 1 is returned if a delimiter is found, 0 otherwise.
115 0685 1
116 0686 1 SIDE EFFECTS:
117 0687 1
118 0688 1     NONE
119 0689 1
120 0690 1 --
121 0691 1
122 0692 2 BEGIN
123 0693 2
124 0694 2 EXTERNAL ROUTINE
125 0695 2     EDT$$TST_ENTDELIM,          ! Determine if the current character is an entity delimiter
126 0696 2     EDT$$CS_LEFT,              ! Move left a character
127 0697 2     EDT$$CS_RIGHT;             ! Move right a character
128 0698 2
129 0699 2 EXTERNAL
130 0700 2     EDT$$A_US_ENT : VECTOR,      ! Pointers to user defined entities
131 0701 2     EDT$$A_LN_END,              ! End of current line pointer
132 0702 2     EDT$$A_LN_PTR;             ! Current character pointer
133 0703 2
134 0704 2 ++
135 0705 2 Look for a sentence delimiter.
136 0706 2
137 0707 2
138 0708 2 IF EDT$$TST_ENTDELIM (.EDT$$A_US_ENT [1])
139 0709 2 THEN
140 0710 2 BEGIN
```

```
141 0711 3 !+
142 0712 3 !- Move to next character.
143 0713 3 !-
144 0714 3 EDT$$CS_RIGHT ();
145 0715 3 !+
146 0716 3 !- If we are at the end of a line, accept the sentence and
147 0717 3 !- position either in front of or after the delimiter.
148 0718 3 !-
149 0719 3 !-
150 0720 3 IF CH$PTR_EQL (.EDT$$A_LN_PTR, .EDT$$A_LN_END)
151 0721 3 THEN
152 0722 3 BEGIN
153 0723 3
154 0724 3 IF .INC THEN EDT$$CS_RIGHT () ELSE EDT$$CS_LEFT ();
155 0725 3
156 0726 3 RETURN (1);
157 0727 3 END;
158 0728 3 !+
159 0729 3 !- If the character is a blank, then accept the delimiter.
160 0730 3 !- If we are to include the delimiter, include all trailing spaces.
161 0731 3 !-
162 0732 3 !-
163 0733 3 !-
164 0734 3 IF (CH$RCHAR (.EDT$$A_LN_PTR) EQL %C' ')
165 0735 3 THEN
166 0736 3 BEGIN
167 0737 3
168 0738 3 IF .INC
169 0739 3 THEN
170 0740 3 BEGIN
171 0741 3
172 0742 3 WHILE (CH$RCHAR (.EDT$$A_LN_PTR) EQL %C' ') DO
173 0743 3 EDT$$CS_RIGHT ();
174 0744 3
175 0745 3 END
176 0746 3 ELSE
177 0747 3 EDT$$CS_LEFT ();
178 0748 3
179 0749 3 RETURN (1);
180 0750 3 END;
181 0751 3
182 0752 3 EDT$$CS_LEFT ();
183 0753 3 END;
184 0754 3 !+
185 0755 3 !- We are not at a sentence delimiter, return 0;
186 0756 3 !-
187 0757 3 !-
188 0758 3 RETURN (0);
189 0759 3 END;
```

! of routine EDT\$\$FND_SENDLIM

```
.TITLE EDT$CHMSENDEL EDT$CHMSENDEL - find a sentence d
          elimiter
.IDENT \V04-000\
.EXTRN EDT$$TST_ENTDELIM
.EXTRN EDT$$CS_LEFT, EDT$$CS_RIGHT
```

EDT\$CHMSENDEL
V04-000

EDT\$CHMSENDEL - find a sentence delimiter
EDT\$\$FND_SENDLIM - find a sentence delimiter

M 11
16-Sep-1984 00:11:53
14-Sep-1984 12:22:46

VAX-11 Bliss-32 V4.0-742
[EDT.SRC]CHMSENDEL.BLI;1

Page 5
(3)

				.EXTRN EDT\$\$A_US_ENT, EDT\$\$A_LN_END	
				.EXTRN EDT\$\$A_LN_PTR	
				.PSECT _EDT\$CODE, NOWRT, SHR, PIC, 2	
				.ENTRY EDT\$\$FND_SENDLIM, Save R2, R3, R4	: 0656
	54	00000000G	00 9E 00002	MOVAB EDT\$\$CS_LEFT, R4	
	53	00000000G	00 9E 00009	MOVAB EDT\$\$A_LN_PTR, R3	
	52	00000000G	00 9E 00010	MOVAB EDT\$\$CS_RIGHT, R2	
		00000000G	00 DD 00017	PUSHL EDT\$\$A_DS_ENT+4	: 0708
00000000G	00		01 FB 0001D	CALLS #1, EDT\$\$TST_ENTDELIM	
	38		50 E9 00024	RO, 6\$	
	62		00 FB 00027	CALLS #0, EDT\$\$CS_RIGHT	: 0714
00000000G	00		63 D1 0002A	CMPB EDT\$\$A_LN_PTR, EDT\$\$A_LN_END	: 0720
			09 12 00031	BNEQ 1\$	
	1E	04	AC E9 00033	BLBC INC, 3\$: 0724
	62		00 FB 00037	CALLS #0, EDT\$\$CS_RIGHT	
			1C 11 0003A	BRB 4\$: 0726
	50		63 D0 0003C 1\$:	MOVL EDT\$\$A_LN_PTR, R0	: 0734
	20		60 91 0003F	CMPB (R0), #32	
			18 12 00042	BNEQ 5\$	
	0D	04	AC E9 00044	BLBC INC, 3\$: 0738
	50		63 D0 00048 2\$:	MOVL EDT\$\$A_LN_PTR, R0	: 0742
	20		60 91 0004B	CMPB (R0), #32	
			08 12 0004E	BNEQ 4\$	
	62		00 FB 00050	CALLS #0, EDT\$\$CS_RIGHT	: 0743
			F3 11 00053	BRB 2\$	
	64		00 FB 00055 3\$:	CALLS #0, EDT\$\$CS_LEFT	: 0747
	50		01 D0 00058 4\$:	MOVL #1, R0	: 0749
			04 0005B	RET	
	64		00 FB 0005C 5\$:	CALLS #0, EDT\$\$CS_LEFT	: 0752
			50 D4 0005F 6\$:	CLRL R0	: 0758
			04 00061	RET	: 0759

; Routine Size: 98 bytes, Routine Base: _EDT\$CODE + 0000

: 190 0760 1
: 191 0761 1 !<BLF/PAGE>

EDT\$CHMSENDEL
V04-000

EDT\$CHMSENDEL - find a sentence delimiter
EDT\$\$FND_SENDELIM - find a sentence delimiter

N 11
16-Sep-1984 00:11:53
14-Sep-1984 12:22:46

VAX-11 Bliss-32 V4.0-742
[EDT.SRC]CHMSENDEL.BLI;1

Page 6
(4)

: 193 0762 1 END
: 194 0763 1
: 195 0764 0 ELUDOM

! of module EDT\$CHMSENDEL

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	98	NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	----- Total	Symbols Loaded	----- Percent	Pages Mapped	Processing Time
\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	1	0	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:CHMSENDEL/OBJ=OBJ\$:CHMSENDEL MSRC\$:CHMSENDEL.BLI/UPDATE=(ENH\$:C
HMSSENDEL)

: Size: 98 code + 0 data bytes
: Run Time: 00:11.2
: Elapsed Time: 00:13.5
: Lines/CPU Min: 4111
: Lexemes/CPU-Min: 11176
: Memory Used: 68 pages
: Compilation Complete

0132 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

